

Meade County, South Dakota,  
Northern Part  
Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
AbB	Abor silty clay, 2 to 6 percent slopes-----	19,290	1.8
AbC	Abor silty clay, 6 to 9 percent slopes-----	6,655	0.6
AlB	Absher-slickspots complex, 2 to 6 percent slopes-----	25,620	2.4
AsB	Assinniboine fine sandy loam, 2 to 6 percent slopes-----	37,035	3.4
AsC	Assinniboine fine sandy loam, 6 to 9 percent slopes-----	5,085	0.5
AtC	Assinniboine-twilight fine sandy loams, 6 to 9 percent slopes-----	31,160	2.9
Ba	Bankard loamy fine sand-----	825	*
Bb	Bankard gravelly loamy sand-----	795	*
BlE	Blackhall-rock outcrop complex, 15 to 40 percent slopes-----	19,930	1.9
BmE	Blackhall-twilight fine sandy loams, 9 to 40 percent slopes-----	43,930	4.1
BoE	Bullock-lardell-blackhall fine sandy loams, 2 to 40 percent slopes-----	9,920	0.9
BpB	Bullock-parchin fine sandy loams, 0 to 4 percent slopes-----	90,755	8.4
BsB	Bullock-slickspots complex, 0 to 4 percent slopes-----	14,255	1.3
CaD	Cabbart loam, 9 to 40 percent slopes-----	61,935	5.8
CvB	Cabbart variant loam, 2 to 6 percent slopes-----	425	*
DeC	Delridge-cabbart loams, 6 to 15 percent slopes-----	80,965	7.5
EaA	Eapa loam, 0 to 2 percent slopes-----	3,545	0.3
EaB	Eapa loam, 2 to 6 percent slopes-----	21,095	2.0
EaC	Eapa loam, 6 to 9 percent slopes-----	2,150	0.2
EdB	Eapa-delridge loams, 2 to 6 percent slopes-----	21,685	2.0
EdC	Eapa-delridge loams, 6 to 9 percent slopes-----	11,810	1.1
EgB	Eapa-grail complex, 2 to 6 percent slopes-----	30,265	2.8
EgC	Eapa-grail complex, 6 to 9 percent slopes-----	15,070	1.4
GaA	Gerdrum loam, 0 to 4 percent slopes-----	67,170	6.2
Gc	Glenberg fine sandy loam-----	2,550	0.2
Gr	Grail silt loam-----	2,165	0.2
Hb	Havre loam-----	11,605	1.1
Hc	Havre loam, channeled-----	28,595	2.7
He	Heil silty clay loam-----	1,890	0.2
HfB	Hisle-slickspots complex, 0 to 4 percent slopes-----	4,415	0.4
KyA	Kyle clay, 0 to 2 percent slopes-----	3,240	0.3
KyB	Kyle clay, 2 to 6 percent slopes-----	11,955	1.1
La	Lardell fine sandy loam-----	8,580	0.8
LaB	Lawther silty clay, 2 to 6 percent slopes-----	31,895	3.0
LbE	Lismas clay, 15 to 40 percent slopes-----	4,360	0.4
LcA	Loburn-gerdrum loams, 0 to 3 percent slopes-----	15,305	1.4
Ld	Lohmiller silty clay loam-----	6,370	0.6
Lg	Lohmiller silty clay loam, channeled-----	10,830	1.0
NaD	Nihill-attewan complex, 4 to 20 percent slopes-----	5,935	0.6
NuA	Nunn clay loam, 0 to 2 percent slopes-----	1,700	0.2
NuB	Nunn clay loam, 2 to 6 percent slopes-----	8,515	0.8
PbB	Parchin-bullock fine sandy loams, 2 to 6 percent slopes-----	42,735	4.0
PeB	Pierre clay, 2 to 6 percent slopes-----	12,740	1.2
PeC	Pierre clay, 6 to 15 percent slopes-----	5,675	0.5
PlE	Pierre-lismas clays, 15 to 40 percent slopes-----	5,010	0.5
PsC	Pierre-samsil clays, 6 to 15 percent slopes-----	12,325	1.1
RoE	Rock outcrop-cabbart-bullock complex, 15 to 40 percent slopes-----	5,160	0.5
SaD	Samsil clay, 6 to 25 percent slopes-----	30,670	2.9
SbE	Samsil-rock outcrop complex, 15 to 40 percent slopes-----	25,930	2.4
SdA	Satanta loam, 0 to 2 percent slopes-----	2,130	0.2
SdB	Satanta loam, 2 to 6 percent slopes-----	4,195	0.4
St	Stetter clay-----	3,790	0.4
SwA	Swanboy clay-----	5,660	0.5
SyA	Swanboy-slickspots complex, 0 to 2 percent slopes-----	3,140	0.3
TdB	Tanna-delridge complex, 2 to 6 percent slopes-----	17,075	1.6
TdC	Tanna-delridge complex, 6 to 9 percent slopes-----	5,185	0.5
TsB	Tanna-savo complex, 2 to 6 percent slopes-----	31,690	2.9
TsC	Tanna-savo complex, 6 to 9 percent slopes-----	4,205	0.4
TwC	Twilight-marmarth-parchin fine sandy loams, 4 to 9 percent slopes-----	61,540	5.7
w	Water < 40 acres-----	3,587	0.3
WhC	Winler clay, 2 to 9 percent slopes-----	3,115	0.3
WlC	Winler-lismas clays, 6 to 15 percent slopes-----	4,645	0.4
ww	Water > 40 acres-----	160	*
YaC	Yawdim silty clay loam, 6 to 9 percent slopes-----	3,760	0.3

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
	Total-----	1,075,397	100.0

\* Less than 0.1 percent.

